


COARSE SAND OR
NON ANGULAR GRANULAR
MATERIAL BASE AND SURROUND


PERMEABLE GEOTEXTILE LAYER



COARSE SAND OR NON ANGULAR GRANULAR
MATERIAL BASE AND SURROUND

AIR VENT

150.00



NOTES :-

CONCEPT DRAWING ONLY

1. ALL STORAGE TANK DRAINAGE WORKS SHALL BE CARRIED OUT IN ACCORDANCE WITH THE SPECIFICATIONS, METHOD STATEMENTS AND RECOMMENDATIONS OF RAINSMART SOLUTIONS PTY LTD.
2. ALL LEVELS AND DIMENSIONS SHALL BE VERIFIED ON SITE PRIOR TO THE COMMENCEMENT OF ANY WORKS. ANY DISCREPANCIES SHALL IMMEDIATELY BE BROUGHT TO THE ATTENTION OF THE ENGINEER.
3. NUMBER OF VENT UNITS DEPENDS ON THE SIZE OF THE TANK.
4. REFER SEQUENCE OF WORK DOCUMENT FOR DETAILED INSTALLATION METHODOLOGY.



**RAINSMART
SOLUTIONS PTY. LTD.**

PROJECT

CLIENT

| NO. | DATE | REVISION | BY |
|-----|------|----------|----|
| | | | |
| | | | |
| | | | |
| | | | |

TITLE

**TYPICAL
INLET / OUTLET
CONNECTION TO
STORM TANKS**

DRAWN BY **BIRENDM**

CHECKED BY -

DRAWING NO:
RS-EL-BM-008

SHEET **1 OF 1**

**ALL DIMENSIONS
ARE IN mm.**